

MATERIAL SAFETY DATA SHEET

| | | |
|------------------|--|--------------|
| Product Name: | Aware™ HIV-1/2 OMT Test | |
| Product Numbers: | 98141 | 98149 |
| | 98143 | 98151 |
| | 98145 | 98153 |
| | 98147 | 98155 |
| Company: | Calypte Biomedical Corporation 16290 SW Upper Boones Ferry Rd. Portland, OR 97224 | |
| Customer Service | 1-503-726-2227 | |
| Email: | customerservice@calypte.com | |
| Technical Phone: | 1-503-726-2227 | |
| Technical Fax: | 1-503-601-6299 | |

The Aware™ HIV-1/2 OMT Test is comprised of 3 components, excluding packaging and product labeling:

- Pouched Assay Test Strips with Desiccant
- Tubes of Oral Fluid Sample Buffer
- Oral Fluid Sample Collection Swabs

Materials and components in this product are not considered to be hazardous in their concentrated forms nor as they are currently formulated for the Aware™ HIV-1/2 OMT product. This is based on evaluations made by Calypte Biomedical or the Manufacturer/Supplier of the subcomponent under the OSHA Hazard Communication Standard, 29 CFR 1910.1200. Material Safety Data Sheets are required only for products containing hazardous ingredients at a concentration equal or greater than 1% and/or carcinogens at a concentration equal or greater than 0.1% (OSHA, 29 CFR 1910.1200). The Oral Fluid Sample Collection Swab has been evaluated for and complies with biocompatibility standards as per ISO 10993-1 (1997), "Biological evaluation of medical devices".

It is advised that appropriate Personal Protection Equipment be employed at all times during the use of the Aware™ HIV-1/2 OMT test. This may include the use of safety glasses or goggles, biohazard shield or hoods, lab coats or gowns, and gloves or other procedures known as "Universal Precautions", depending on the nature of use of the product by the user and the specimens being evaluated. It is also advised that GLP (standard Good Laboratory Practices) and proper training be followed to further minimize any risk of accident or injury. The user assumes all responsibility for evaluating the risk of the specific use and application as well as any and all risks inherent in individual samples and situations.

Disclaimer: The information described in this document was prepared and presented with reasonable care and is based on the most reliable information available to the authors. Calypte Biomedical makes no representations or warranty, expressed or implied, of the merchantability, fitness, accuracy, or completeness of this information other than as a guideline for protecting the safety of the user. Calypte Biomedical provides this information in good faith and will not be responsible for damages resulting from use of the information or the product to which it pertains.